



**UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office**

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
08/955,932	10/22/97	GAISER	J WG-97-15

MM41/1019

E EUGENE THIGPEN
WESTERN ATLAS INTERNATIONAL INC
PO BOX 1407
HOUSTON TX 77251-1407

EXAMINER

SPIVEY, J

ART UNIT

PAPER NUMBER

2857

DATE MAILED: 10/19/98

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

Office Action Summary

Application No.
08/955,932

Applicant(s)
James E. Gaier

Examiner
Jonathan R. Spivey

Group Art Unit
2857



☒ Responsive to communication(s) filed on Oct 22, 1997

☐ This action is **FINAL**.

☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11; 453 O.G. 213.

A shortened statutory period for response to this action is set to expire three month(s), or thirty days, whichever is longer, from the mailing date of this communication. Failure to respond within the period for response will cause the application to become abandoned. (35 U.S.C. § 133). Extensions of time may be obtained under the provisions of 37 CFR 1.136(a).

Disposition of Claims

☒ Claim(s) 1-3 is/are pending in the application.
Of the above, claim(s) _____ is/are withdrawn from consideration.

☐ Claim(s) _____ is/are allowed.

☒ Claim(s) 1-3 is/are rejected.

☐ Claim(s) _____ is/are objected to.

☐ Claims _____ are subject to restriction or election requirement.

Application Papers

☒ See the attached Notice of Draftsperson's Patent Drawing Review, PTO-948.

☒ The drawing(s) filed on Oct 22, 1997 is/are objected to by the Examiner.

☐ The proposed drawing correction, filed on _____ is ☐ approved ☐ disapproved.

☐ The specification is objected to by the Examiner.

☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. § 119

☐ Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).

☐ All ☐ Some* ☐ None of the CERTIFIED copies of the priority documents have been
☐ received.

☐ received in Application No. (Series Code/Serial Number) _____.

☐ received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

*Certified copies not received: _____

☐ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).

Attachment(s)

☒ Notice of References Cited, PTO-892

☒ Information Disclosure Statement(s), PTO-1449, Paper No(s). 5

☐ Interview Summary, PTO-413

☒ Notice of Draftsperson's Patent Drawing Review, PTO-948

☐ Notice of Informal Patent Application, PTO-152

--- SEE OFFICE ACTION ON THE FOLLOWING PAGES ---

Art Unit: 2857

DETAILED ACTION

Drawings

1. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: detail #21. [page 2, line 20; page 3, line 3]. Correction is required.
2. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference sign(s) not mentioned in the description: detail #11 (Fig. 1 & 5); detail #52 & 54 (Fig. 4); detail #27 (Fig. 5). Correction is required.

Double Patenting

3. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper time-wise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321© may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground

Art Unit: 2857

provided the conflicting application or patent is shown to be commonly owned with this application.
See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

4. Claims 1-3 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-3 of Gaiser (A) (U.S. Patent No. 5,724,307) in view of James E. Gaiser *et al* (*U*), Vertical seismic profile sonde coupling, Geophysics, Vol. 53, No. 2, pp. 206-214 February 1988. The pending application discloses improvement to the coupling response of a three-component seismic sensor implanted on the bottom of a body of water. [page 1, lines 10-16]. Gaiser (A) discloses a method for improving the coupling response of a water bottom seismic sensor, specifically the coupling response of a multi-axis seismic sensor or geophone implanted on a water bottom with particular attention to the sensor whose axis of sensitivity is spatially polarized along the cross-line axis. [abstract; col. 1 lines 1-13; col. 6, lines 20-65]. James E. Gaiser *et al* (*U*) discloses a vertical seismic profile sonde coupling that accurately represent the earth's ground motion. [abstract].

5. References B and C are listed to show that geophone coupling is well known in the art.

Contact Information

Art Unit: 2857


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jonathan Spivey whose telephone number is (703) 305-0430. The examiner can normally be reached on Monday - Friday from 6:30 am to 3:00 pm eastern time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Barlow, can be reached on (703) 308-3126. The fax phone number for the organization where this application or proceeding is assigned is (703) 305-3432.

Any inquiry of general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1782.

GA
js

October 9, 1998


John Barlow
Supervisory Patent Examiner
Technology Center 2800